Contents

Volume 47, Issue 1, February 2010

Editorial

1 J. MEMMOTT, M. CADOTTE, P. E. HULME, G. KERBY, E. J. MILNER-GULLAND, M. J. WHITTINGHAM Putting applied ecology into practice

Reviews

5 L. THOMAS, S. T. BUCKLAND, E. A. REXSTAD, J. L. LAAKE, S. STRINDBERG, S. L. HEDLEY, J. R. B. BISHOP, T. A. MARQUES, K. P. BURNHAM Distance software: design and analysis of distance sampling surveys for estimating population size

15 V. DEVICTOR, J. CLAVEL, R. JULLIARD, S. LAVERGNE, D. MOUILLOT, W. THUILLER, P. VENAIL, S. VILLÉGER, N. MOUQUET Defining and measuring ecological specialization

26 F. BULLERI, M. G. CHAPMAN The introduction of coastal infrastructure as a driver of change in marine environments

Modelling and management

36 P. R. ARMSWORTH, B. A. BLOCK, J. EAGLE, J. E. ROUGHGARDEN The economic efficiency of a time-area closure to protect spawning bluefin tuna

47 E. J. WARD, H. CHIRAKKAL, M. GONZÁLEZ-SUÁREZ, D. AURIOLES-GAMBOA, E. E. HOLMES, L. GERBER Inferring spatial structure from time-series data: using multivariate state-space models to detect metapopulation structure of California sea lions in the Gulf of California, Mexico

57 M. DRESCHER, A. H. PERERA A network approach for evaluating and communicating forest change models

67 S. J. BUTLER, E. H. A. MATTISON, N. J. GLITHERO, L. J. ROBINSON, P. W. ATKINSON, S. GILLINGS, J. A. VICKERY, K. NORRIS Resource availability and the persistence of seed-eating bird populations in agricultural landscapes: a mechanistic modelling approach

76 M. E. OBBARD, E. J. HOWE, C. J. KYLE Empirical comparison of density estimators for large carnivores

85 C. GOMEZ, A. BATTI, D. L. PIERRES, C. CAMPA, S. HAMON, A. DE KOCHKO, P. HAMON, F. HUYNH, M. DESPINOY, V. PONCET Favourable habitats for *Coffea* inter-specific hybridization in central New Caledonia: combined genetic and spatial analyses

Invasive species

96 J. FIRN, A. P. N. HOUSE, Y. M. BUCKLEY Alternative states models provide an effective framework for invasive species control and restoration of native communities

106 M. T. CHRISTY, A. A. Y. ADAMS, G. H. RODDA, J. A. SAVIDGE, C. L. TYRRELL Modelling detection probabilities to evaluate management and control tools for an invasive species

114 T. W. BODEY, S. BEARHOP, S. S. ROY, J. NEWTON, R. A. MCDONALD Behavioural responses of invasive American mink *Neovison vison* to an eradication campaign, revealed by stable isotope analysis

121 R. INGER, R. A. MCDONALD, D. ROGOWSKI, A. L. JACKSON, A. PARNELL, S. JANE PRESTON, C. HARROD, C. GOODWIN, D. GRIFFITHS, J. T. A. DICK, R. W. ELWOOD, J. NEWTON, S. BEARHOP Do non-native invasive fish support elevated lamprey populations?

Restoration and recovery

130 E. B. MORRISON, C. A. LINDELL, K. D. HOLL, R. A. ZAHAWI Patch size effects on avian foraging behaviour: implications for tropical forest restoration design

139 R. TROPEK, T. KADLEC, P. KARESOVA, L. SPITZER, P. KOCAREK, I. MALENOVSKY, P. BANAR, I. H. TUF, M. HEJDA, M. KONVICKA Editor's Choice: Spontaneous succession in limestone quarries as an effective restoration tool for endangered arthropods and plants

148 D. LESBARRÈRES, M. S. FOWLER, A. PAGANO, T. LODÉ Recovery of anuran community diversity following habitat replacement

157 A. M. T. A. GUNARATNE, C. V. S. GUNATILLEKE, I. A. U. N. GUNATILLEKE, H. M. S. P. MADAWALA WEERASINGHE, D. F. R. P. BURSLEM Barriers to tree seedling emergence on human-induced grasslands in Sri Lanka

Human–wildlife interaction

166 J. KARLSSON, Ö. JOHANSSON Predictability of repeated carnivore attacks on livestock favours reactive use of mitigation measures

172 M. DE BARBA, L. P. WAITS, P. GENOVESI, E. RANDI, R. CHIRICHELLA, E. CETTO Comparing opportunistic and systematic sampling methods for non-invasive genetic monitoring of a small translocated brown bear population

182 C. S. GILLIES, C. CASSADY ST. CLAIR Functional responses in habitat selection by tropical birds moving through fragmented forest

191 P. W. ATKINSON, I. M. D. MACLEAN, N. A. CLARK Impacts of shellfisheries and nutrient inputs on waterbird communities in the Wash, England

Plant–insect interaction

200 D. R. LATHAM, N. J. MILLS Quantifying aphid predation: the mealy plum aphid *Hyalopterus pruni* in California as a case study

209 T. DIEKÖTTER, T. KADOYA, F. PETER, V. WOLTERS, F. JAUKER Oilseed rape crops distort plant–pollinator interactions

Long-term monitoring

215 G. R. POTTS, J. A. EWALD, N. J. AEBISCHER Long-term changes in the flora of the cereal ecosystem on the Sussex Downs, England, focusing on the years 1968–2005

Ethics and ecology

227 K. M. PARRIS, S. C. MCCALL, M. A. MCCARTHY, B. A. MINTEER, K. STEELE, S. BEKESSY, F. MEDVECKY Assessing ethical trade-offs in ecological field studies

Volume 47, Issue 2, April 2010

Policy perspectives

235 P. R. ARMSWORTH, A. N. ARMSWORTH, N. COMPTON, P. COTTLE, I. DAVIES, B. A. EMMETT, V. FANDRICH, M. FOOTE, K. J. GASTON, P. GARDINER, T. HESS, J. HOPKINS, N. HORSLEY, N. LEAVER, T. MAYNARD, D. SHANNON The ecological research needs of business

Predator–prey interactions

244 S. E. NEWSON, E. A. REXSTAD, S. R. BAILLIE, S. T. BUCKLAND, N. J. AEBISCHER Population change of avian predators and grey squirrels in England: is there evidence for an impact on avian prey populations?

253 Q. AMAR, S. REDPATH, I. SIM, G. BUCHANANR Spatial and temporal associations between recovering populations of common raven Corvus corax and British upland wader populations

263 K. FLETCHER, N. J. AEBISCHER, D. BAINES, R. FOSTER, A. N. HOODLESS Changes in breeding success and abundance of ground-nesting moorland birds in relation to the experimental deployment of legal predator control

273 G. WARD-FEAR, G. P. BROWN, R. SHINE Using a native predator (the meat ant, *Iridomyrmex reburrus*) to reduce the abundance of an invasive species (the cane toad, *Bufo marinus*) in tropical Australia

281 K. M. PROFFITT, P. J. WHITE, R. A. GARROTT Spatio-temporal overlap between Yellowstone bison and elk – implications of wolf restoration and other factors for brucellosis transmission risk

Invasives

290 D. R. PAINI, S. P. WORNER, D. C. COOK, P. J. DE BARRO, M. B. THOMAS Using a self-organizing map to predict invasive species: sensitivity to data errors and a comparison with expert opinion

299 C. B. A. KING, W. P. HAINES, D. RUBINOFF Impacts of invasive parasitoids on declining endemic Hawaiian leafroller moths (*Omiodes*: Crambidae) vary among sites and species

309 Q. PAYNTER, A. MAIN, A. HUGH GOURLAY, P. G. PETERSON, S. V. FOWLER, Y. M. BUCKLEY Disruption of an exotic mutualism can improve management of an invasive plant: varroa mite, honeybees and biological control of Scotch broom *Cytisus scoparius* in New Zealand

318 K. E. KOVALENKO, E. D. DIBBLE, J. G. SLADE Community effects of invasive macrophyte control: role of invasive plant abundance and habitat complexity

329 T. D. CENTER, F. A. DRAY JR Bottom-up control of water hyacinth weevil populations: do the plants regulate the insects?

338 K. M. ALOFS, N. L. FOWLER Habitat fragmentation caused by woody plant encroachment inhibits the spread of an invasive grass

Restoration and regeneration

348 M. MARON, P. K. DUNN, C. A. MCALPINE, A. APAN Editor's Choice: Can offsets really compensate for habitat removal? The case of the endangered red-tailed black-cockatoo

356 G. MATT DAVIES, A. ADAM SMITH, A. J. MACDONALD, J. D. BAKKER, C. J. LEGG Fire intensity, fire severity and ecosystem response in heathlands: factors affecting the regeneration of *Calluna vulgaris*

366 B. A. WOODCOCK, I. N. VOGIATZAKIS, D. B. WESTBURY, C. S. LAWSON, A. R. EDWARDS, A. J. BROOK, S. J. HARRIS, K. A. LOCK, N. MACZEY, G. MASTERS, V. K. BROWN, S. R. MORTIMER The role of management and landscape context in the restoration of grassland phytophagous beetles

Modelling distributions

377 F. EIGENBROD, P. R. ARMSWORTH, B. J. ANDERSON, A. HEINEMEYER, S. GILLINGS, D. B. ROY, C. D. THOMAS, K. J. GASTON The impact of proxy-based methods on mapping the distribution of ecosystem services

386 T. ROTH, V. AMRHEIN Estimating individual survival using territory occupancy data on unmarked animals

393 F. ABADI, O. GIMENEZ, B. ULLRICH, R. ARLETTAZ, M. SCHAUB Estimation of immigration rate using integrated population models

401 T. L. WILSON, J. B. ODEI, M. B. HOOTEN, T. C. EDWARDS JR Hierarchical spatial models for predicting pygmy rabbit distribution and relative abundance

410 H. REBELO, G. JONES Ground validation of presence-only modelling with rare species: a case study on barbastelles *Barbastella barbastellus* (Chiroptera: Vespertilionidae)

421 C. CIANFRANI, G. LE LAY, A. H. HIRZEL, A. LOY Do habitat suitability models reliably predict the recovery areas of threatened species?

431 H. JACQUEMYN, P. ENDELS, O. HONNAY, T. WIEGAND Evaluating management interventions in small populations of a perennial herb *Primula vulgaris* using spatio-temporal analyses of point patterns

Habitat management

441 K. A. MAHER, R. J. HOBBS, C. J. YATES Woody shrubs and herbivory influence tree encroachment in the sandplain heathlands of southwestern Australia

451 S. M. EGLINGTON, M. BOLTON, M. A. SMART, W. J. SUTHERLAND, A. R. WATKINSON, J. A. GILL Managing water levels on wet grasslands to improve foraging conditions for breeding northern lapwing *Vanellus vanellus*

459 J. EKROOS, J. HELIÖLÄ, M. KUUSSAARI Homogenization of lepidopteran communities in intensively cultivated agricultural landscapes

468 J. A. RUDGERS, S. FISCHER, K. CLAY Managing plant symbiosis: fungal endophyte genotype alters plant community composition

478 D. G. ANGELER, W. GOEDKOOP Biological responses to liming in boreal lakes: an assessment using plankton, macroinvertebrate and fish communities

Non-target effects

487 S. C. VOTIER, S. BEARHOP, M. J. WITT, R. INGER, D. THOMPSON, J. NEWTON Individual responses of seabirds to commercial fisheries revealed using GPS tracking, stable isotopes and vessel monitoring systems

498 D. W. KELLY, R. POULIN, D. M. TOMPKINS, C. R. TOWNSEND Synergistic effects of glyphosate formulation and parasite infection on fish malformations and survival

505 **Editors' Announcement**
Winner of the Southwood Prize 2009

Volume 47, Issue 3, June 2010

Population management

507 J. HONE, R. P. DUNCAN, D. M. FORSYTH Estimates of maximum annual population growth rates (r_m) of mammals and their application in wildlife management

515 T. H. G. EZARD, J. M. BULLOCK, H. J. DALGLEISH, A. MILLON, F. PELLETIER, A. OZGUL, D. N. KOONS Matrix models for a changeable world: the importance of transient dynamics in population management

524 O. DEVINEAU, T. M. SHENK, G. C. WHITE, P. F. DOHERTY JR, P. M. LUKACS, R. H. KAHN Editor's Choice: Evaluating the Canada lynx reintroduction programme in Colorado: patterns in mortality

532 D. A. GREAR, M. D. SAMUEL, K. T. SCRIBNER, B. V. WECKWORTH, J. A. LANGENBERG Influence of genetic relatedness and spatial proximity on chronic wasting disease infection among female white-tailed deer

541 A. G. YOUNG, M. PICKUP Low *S*-allele numbers limit mate availability, reduce seed set and skew fitness in small populations of a self-incompatible plant

Responses to invasive species

549 D. STRUBBE, E. MATTHYSEN, C. H. GRAHAM Assessing the potential impact of invasive ring-necked parakeets *Psittacula krameri* on native nuthatches *Sitta europeae* in Belgium

558 S. O'DONNELL, J. K. WEBB, R. SHINE Conditioned taste aversion enhances the survival of an endangered predator imperilled by a toxic invader

Pest control

566 M. D. KLINGENBERG, B. S. LINDGREN, M. P. GILLINGHAM, B. H. AUKEMA Management response to one insect pest may increase vulnerability to another

575 Q. PAYNTER, S. V. FOWLER, A. H. GOURLAY, R. GROENTEMAN, P. G. PETERSON, L. SMITH, C. J. WINKS Predicting parasitoid accumulation on biological control agents of weeds

583 G. HEAD, R. E. JACKSON, J. ADAMCZYK, J. R. BRADLEY, J. VAN DUYN, J. GORE, D. D. HARDEE, B. R. LEONARD, R. LUTTRELL, J. RUBERSON, J. W. MULLINS, R. G. ORTH, S. SIVASUPRAMANIAM, R. VOTH Spatial and temporal variability in host use by *Helicoverpa zea* as measured by analyses of stable carbon isotope ratios and gossypol residues

593 K. G. SCHOENLY, J. E. COHEN, K. L. HEONG, J. A. LITSINGER, A. T. BARRION, G. S. ARIDA Fallowing did not disrupt invertebrate fauna in Philippine low-pesticide irrigated rice fields

Landscape effects

603 Y. RICHARD, D. P. ARMSTRONG Cost distance modelling of landscape connectivity and gap-crossing ability using radio-tracking data

611 M. PEREIRA, A. RODRIGUEZ Conservation value of linear woody remnants for two forest carnivores in a Mediterranean agricultural landscape

621 V. RUIZ-GUTIÉRREZ, E. F. ZIPKIN, A. A. DHONDT Occupancy dynamics in a tropical bird community: unexpectedly high forest use by birds classified as non-forest species

631 B. W. VAN WILGEN, G. G. FORSYTH, H. DE KLERK, S. DAS, S. KHULUSE, P. SCHMITZ Fire management in Mediterranean-climate shrublands: a case study from the Cape fynbos, South Africa

639 C. D. MATTHAEI, J. J. PIGGOTT, C. R. TOWNSEND Multiple stressors in agricultural streams: interactions among sediment addition, nutrient enrichment and water abstraction

Vegetation assessment

650 C. N. COOK, G. WARDELL-JOHNSON, M. KEATLEY, S. A. GOWANS, M. S. GIBSON, M. E. WESTBROOKE, D. J. MARSHALL Is what you see what you get? Visual vs. measured assessments of vegetation condition

662 A. D. MAZARIS, A. S. KALLIMANIS, J. TZANOPOULOS, S. P. SGARDELIS, J. D. PANTIS Can we predict the number of plant species from the richness of a few common genera, families or orders?

Restoration

671 S. C. JÄHNIG, K. BRABEC, A. BUFFAGNI, S. ERBA, A. W. LORENZ, I. OFENBÖCK, P. F. M. VERDONSCHOT, D. HERING A comparative analysis of restoration measures and their effects on hydromorphology and benthic invertebrates in 26 central and southern European rivers

681 J. M. DWYER, R. FENSHAM, Y. M. BUCKLEY Restoration thinning accelerates structural development and carbon sequestration in an endangered Australian ecosystem

692 S. MIEHE, J. KLUGE, H. VON WEHRDEN, V. RETZER Long-term degradation of Sahelian rangeland detected by 27 years of field study in Senegal

701 B. P. MILLER, G. L. W. PERRY, N. J. ENRIGHT, B. B. LAMONT Contrasting spatial pattern and pattern-forming processes in natural vs. restored shrublands

Volume 47, Issue 4, August 2010

Review

711 S. MENEZES, D. J. BAIRD, A. M. V. M. SOARES Beyond taxonomy: a review of macroinvertebrate trait-based community descriptors as tools for freshwater biomonitoring

Climate change

720 M. VAN DE POL, B. J. ENS, D. HEG, L. BROUWER, J. KROL, M. MAIER, K.-M. EXO, K. OOSTERBEEK, T. LOK, C. M. EISING, K. KOFFIJBERG Do changes in the frequency, magnitude and timing of extreme climatic events threaten the population viability of coastal birds?

731 M. S. MBOGGA, X. WANG, A. HAMANN Bioclimate envelope model predictions for natural resource management: dealing with uncertainty

Environmental stressors

741 M.-J. ROCHET, V. M. TRENKEL, A. CARPENTIER, F. COPPIN, L. G. DE SOLA, J.-P. LEAUTE, J.-C. MAHÉ, P. MAIORANO, A. MANNINI, M. MURENU, G. PIET, C.-Y. POLITOU, B. REALE, M.-T. SPEDICATO, G. TSERPES, J. A. BERTRAND Do changes in environmental and fishing pressures impact marine communities? An empirical assessment

751 V. M. TRENKEL, M.-J. ROCHET Combining time trends in multiple metrics for identifying persistent changes in population processes or environmental stressors

759 M. E. ÖSTERLING, B. L. ARVIDSSON, L. A. GREENBERG Habitat degradation and the decline of the threatened mussel *Margaritifera margaritifera*: influence of turbidity and sedimentation on the mussel and its host

Connectivity and conservation

769 B. J. GODLEY, C. BARBOSA, M. BRUFORD, A. C. BRODERICK, P. CATRY, M. S. COYNE, A. FORMIA, G. C. HAYS, M. J. WITT Unravelling migratory connectivity in marine turtles using multiple methods

779 J. BARLOW, J. LOUZADA, L. PARRY, M. I. M. HERNÁNDEZ, J. HAWES, C. A. PERES, F. Z. VAZ-DE-MELLO, T. A. GARDNER Improving the design and management of forest strips in human-dominated tropical landscapes: a field test on Amazonian dung beetles

789 F. MARUCCO, E. J. B. MCINTIRE Predicting spatio-temporal recolonization of large carnivore populations and livestock depredation risk: wolves in the Italian Alps

799 S. V. BRÜCKMANN, J. KRAUSS, I. STEFFAN-DEWENTER Butterfly and plant specialists suffer from reduced connectivity in fragmented landscapes

810 L. G. CARVALHEIRO, C. L. SEYMOUR, R. VELDTMAN, S. W. NICOLSON Pollination services decline with distance from natural habitat even in biodiversity-rich areas

821 B. HERAULT, J. OUALLET, L. BLANC, F. WAGNER, C. BARALOTO Growth responses of neotropical trees to logging gaps

Agroecology

832 L. JOSE-MARIA, L. ARMENGOT, J. M. BLANCO-MORENO, M. BASSA, F. X. SANS Effects of agricultural intensification on plant diversity in Mediterranean dryland cereal fields

841 R. ISAACS, A. K. KIRK Pollination services provided to small and large highbush blueberry fields by wild and managed bees

850 A. RAINHO, A. M. AUGUSTO, J. M. PALMEIRIM Influence of vegetation clutter on the capacity of ground foraging bats to capture prey

Grazing

859 C. L. SEYMOUR, S. J. MILTON, G. S. JOSEPH, W. R. J. DEAN, T. DITLHOBOLO, G. S. CUMMING Twenty years of rest returns grazing potential, but not palatable plant diversity, to Karoo rangeland, South Africa

868 L. WANG, D. WANG, Z. HE, G. LIU, K. C. HODGKINSON Mechanisms linking plant species richness to foraging of a large herbivore

876 S. LEONARD, J. KIRKPATRICK, J. MARSDEN-SMEDLEY Variation in the effects of vertebrate grazing on fire potential between grassland structural types

Pollution

884 B. POULIN, G. LEFEBVRE, L. PAZ Red flag for green spray: adverse trophic effects of *Bti* on breeding birds

890 J.-T. LI, H.-N. DUAN, S.-P. LI, J.-L. KUANG, Y. ZENG, W.-S. SHU Editor's Choice: Cadmium pollution triggers a positive biodiversity–productivity relationship: evidence from a laboratory microcosm experiment

899 W. H. CLEMENTS, N. K. M. VIEIRA, S. E. CHURCH Quantifying restoration success and recovery in a metal-polluted stream: a 17-year assessment of physicochemical and biological responses

Disease management

911 D. S. L. RAMSEY, M. G. EFFORD Management of bovine tuberculosis in brushtail possums in New Zealand: predictions from a spatially explicit, individual-based model

Forum: Wildlife management

920 A. MYSTERUD Still walking on the wild side? Management actions as steps towards 'semi-domestication' of hunted ungulates

926 A. HARRISON, S. NEWEY, L. GILBERT, D. T. HAYDON, S. THIRGOOD Culling wildlife hosts to control disease: mountain hares, red grouse and louping ill virus

931 A. MARGALIDA, J. A. DONÁZAR, M. CARRETE, J. A. SÁNCHEZ-ZAPATA Sanitary versus environmental policies: fitting together two pieces of the puzzle of European vulture conservation

Forum: Stable isotopes

936 K. AUERSWALD, M. H. O. M. WITTMER, A. ZAZZO, R. SCHÄUFELE, H. SCHNYDER Biases in the analysis of stable isotope discrimination in food webs

942 M.-E. PERGA, J. GREY Laboratory measures of isotope discrimination factors: comments on Caut, Angulo & Courchamp (2008, 2009)

948 S. CAUT, E. ANGULO, F. COURCHAMP, J. FIGUEROLA Trophic experiments to estimate isotope discrimination factors

Volume 47, Issue 5, October 2010

Conservation policy

955 W. J. SUTHERLAND, S. D. ALBON, H. ALLISON, S. ARMSTRONG-BROWN, M. J. BAILEY, T. BRERETON, I. L. BOYD, P. CAREY, J. EDWARDS, M. GILL, D. HILL, I. HODGE, A. J. HUNT, W. J. F. LE QUESNE, D. W. MACDONALD, L. D. MEE, R. MITCHELL, T. NORMAN, R. P. OWEN, D. PARKER, S. V. PRIOR, A. S. PULLIN, M. R. W. RANDS, S. REDPATH, J. SPENCER, C. J. SPRAY, C. D. THOMAS, G. M. TUCKER, A. R. WATKINSON, A. CLEMENTS The identification of priority policy options for UK nature conservation

Reviews

966 J. T. LUNDHOLM, P. J. RICHARDSON Habitat analogues for reconciliation ecology in urban and industrial environments

976 C. G. MURRAY, A. J. HAMILTON Perspectives on wastewater treatment wetlands and waterbird conservation

Agroecology

986 R. B. BRADBURY, C. STOATE, J. R. B. TALLOWIN Lowland farmland bird conservation in the context of wider ecosystem service delivery

994 J. C. DUNN, K. C. HAMER, T. G. BENTON Fear for the family has negative consequences: indirect effects of nest predators on chick growth in a farmland bird

1003 D. BAILEY, M. H. SCHMIDT-ENTLING, P. EBERHART, J. D. HERRMANN, G. HOFER, U. KORMANN, F. HERZOG Effects of habitat amount and isolation on biodiversity in fragmented traditional orchards

1014 F. S. MAGBANUA, C. R. TOWNSEND, G. L. BLACKWELL, N. PHILLIPS, C. D. MATTHAEI Responses of stream macroinvertebrates and ecosystem function to conventional, integrated and organic farming

Invasive species and pest control

1026 P. ARAGÓN, A. BASELGA, J. M. LOBO Global estimation of invasion risk zones for the western corn rootworm *Diabrotica virgifera virgifera*: integrating distribution models and physiological thresholds to assess climatic favourability

1036 T. J. CUDMORE, N. BJÖRKLUND, A. L. CARROLL, B. STAFFAN LINDGREN Climate change and range expansion of an aggressive bark beetle: evidence of higher beetle reproduction in naïve host tree populations

1044 U. SAHLIN, H. G. SMITH, L. EDSMAN, G. BENGTSSON Time to establishment success for introduced signal crayfish in Sweden – a statistical evaluation when success is partially known

1053 S. M. PAWSON, J. K. MCCARTHY, N. J. LEDGARD, R. K. DIDHAM Density-dependent impacts of exotic conifer invasion on grassland invertebrate assemblages

Models informing management

1063 L. P. KOH, T. M. LEE, N. S. SODHI, J. GHAZOUL An overhaul of the species–area approach for predicting biodiversity loss: incorporating matrix and edge effects

1071 B. GILBERT, J. R. BENNETT Partitioning variation in ecological communities: do the numbers add up?

1083 H. E. JOHNSON, L. SCOTT MILLS, J. D. WEHAUSEN, T. R. STEPHENSON Combining ground count, telemetry, and mark–resight data to infer population dynamics in an endangered species

1094 J. J. LAHOZ-MONFORT, G. GUILLERA-ARROITA, E. J. MILNER-GULLAND, R. P. YOUNG, E. NICHOLSON Satellite imagery as a single source of predictor variables for habitat suitability modelling: how Landsat can inform the conservation of a critically endangered lemur

1103 K. A. POLLARD, D. T. BLUMSTEIN, S. C. GRIFFIN Pre-screening acoustic and other natural signatures for use in noninvasive individual identification

1110 B. PÉREZ LAPEÑA, K. M. WIJNBERG, S. J. M. H. HULSCHER, A. STEIN Environmental impact assessment of offshore wind farms: a simulation-based approach

Rehabilitation and restoration

1119 A. D. IRVING, J. E. TANNER, S. SEDDON, D. MILLER, G. J. COLLINGS, R. J. WEAR, S. L. HOARE, M. J. THEIL Testing alternate ecological approaches to seagrass rehabilitation: links to life-history traits

1128 J. W. MATTHEWS, G. SPYREAS Convergence and divergence in plant community trajectories as a framework for monitoring wetland restoration progress

Disease and management

1137 G. MUTZE, J. KOVALISKI, K. BUTLER, L. CAPUCCI, S. MCPHEE The effect of rabbit population control programmes on the impact of rabbit haemorrhagic disease in south-eastern Australia

1147 N. GAIDET, J. CAPPELLE, J. Y. TAKEKAWA, D. J. PROSSER, S. A. IVERSON, D. C. DOUGLAS, W. M. PERRY, T. MUNDKUR, S. H. NEWMAN Editor's Choice: Potential spread of highly pathogenic avian influenza H5N1 by wildfowl: dispersal ranges and rates determined from large-scale satellite telemetry

1158 Erratum

Volume 47, Issue 6, December 2010

Carbon payments

1159 T. R. BAKER, J. P. G. JONES, O. R. RENDON THOMPSON, R. M. R. CUESTA, D. DEL CASTILLO, I. C. AGUILAR, J. TORRES, J. R. HEALEY How can ecologists help realise the potential of payments for carbon in tropical forest countries?

Monitoring

1166 F. DANIELSEN, N. D. BURGESS, P. M. JENSEN, K. PIRHOFER-WALZL Environmental monitoring: the scale and speed of implementation varies according to the degree of people's involvement

1169 Y. E. CHEE, B. A. WINTLE Editor's Choice: Linking modelling, monitoring and management: an integrated approach to controlling overabundant wildlife

1179 Y. MANDELIK, U. ROLL, A. FLEISCHER Cost-efficiency of biodiversity indicators for Mediterranean ecosystems and the effects of socio-economic factors

1189 A. C. KELLY, N. E. MATEUS-PINILLA, M. DOUGLAS, M. DOUGLAS, W. BROWN, M. O. RUIZ, J. KILLEFER, P. SHELTON, T. BEISSEL, J. NOVAKOFSKI Utilizing disease surveillance to examine gene flow and dispersal in white-tailed deer

1199 J. W. TESTA, G. P. ADAMS, D. R. BERGFELT, D. S. JOHNSON, R. R. REAM, T. S. GELATT Replicating necropsy data without lethal collections: using ultrasonography to understand the decline in northern fur seals

Landscape-scale influences

1207 D. GOULSON, O. LEPAIS, S. O'CONNOR, J. L. OSBORNE, R. A. SANDERSON, J. CUSSANS, L. GOFFE, B. DARVILL Effects of land use at a landscape scale on bumblebee nest density and survival

1216 T. REITALU, L. J. JOHANSSON, M. T. SYKES, K. HALL, H. C. PRENTICE History matters: village distances, grazing and grassland species diversity

1225 A. T. VANAK, M. E. GOMPPER Interference competition at the landscape level: the effect of free-ranging dogs on a native mesocarnivore

1233 S. R. VERÓN, J. M. PARUELO Desertification alters the response of vegetation to changes in precipitation

1242 J. P. GONZÁLEZ-VARO, R. G. ALBALADEJO, A. APARICIO, J. ARROYO Linking genetic diversity, mating patterns and progeny performance in fragmented populations of a Mediterranean shrub

Direct intervention

1253 J. H. ROE, M. R. FRANK, S. E. GIBSON, O. ATTUM, B. A. KINGSBURY No place like home: an experimental comparison of reintroduction strategies using snakes

1262 G. BINO, A. DOLEV, D. YOSHA, A. GUTER, R. KING, D. SALTZ, S. KARK Abrupt spatial and numerical responses of overabundant foxes to a reduction in anthropogenic resources

1272 F. PULIDO, E. GARCÍA, J. J. OBRADOR, G. MORENO Multiple pathways for tree regeneration in anthropogenic savannas: incorporating biotic and abiotic drivers into management schemes

1282 G. M. MARTINS, R. C. THOMPSON, A. I. NETO, S. J. HAWKINS, S. R. JENKINS Exploitation of intertidal grazers as a driver of community divergence

Managing invasive species

1290 R. G. MARUSHIA, M. W. CADOTTE, J. S. HOLT Phenology as a basis for management of exotic annual plants in desert invasions

1300 M. PAUTASSO, X. XU, M. J. JEGER, T. D. HARWOOD, M. MOSLONKA-LEFEBVRE, L. PELLIS Disease spread in small-size directed trade networks: the role of hierarchical categories

1310 K. L. ANDERSON, T. E. DEVESON, N. SALLAM, B. C. CONGDON Wind-assisted migration potential of the island sugarcane planthopper *Eumetopina flavipes* (Hemiptera: Delphacidae): implications for managing incursions across an Australian quarantine frontline

1320 E. GROTKOPP, J. ERSKINE-OGDEN, M. REJMÁNEK Assessing potential invasiveness of woody horticultural plant species using seedling growth rate traits

1329 S. M. WHITE, P. ROHANI, S. M. SAIT Modelling pulsed releases for sterile insect techniques: fitness costs of sterile and transgenic males and the effects on mosquito dynamics

Farmland birds

1340 M. U. GRÜEBLER, F. KORNER-NIEVERGELT, J. VON HIRSCHHEYDT The reproductive benefits of livestock farming in barn swallows *Hirundo rustica*: quality of nest site or foraging habitat?

1348 A. DOXA, Y. BAS, M. L. PARACCHINI, P. POINTEREAU, J.-M. TERRES, F. JIGUET Low-intensity agriculture increases farmland bird abundances in France

1357 E. M. RANTANEN, F. BUNER, P. RIORDAN, N. SOTHERTON, D. W. MACDONALD Habitat preferences and survival in wildlife reintroductions: an ecological trap in reintroduced grey partridges

Fisheries

1365 B. M. CONNORS, N. B. HARGREAVES, S. R. M. JONES, L. M. DILL Predation intensifies parasite exposure in a salmonid food chain

1372 B. M. CONNORS, M. KRKOŠEK, J. FORD, L. M. DILL Coho salmon productivity in relation to salmon lice from infected prey and salmon farms